

# DRAFT UGANDA STANDARD

First Edition  
2021-mm-dd

---

---

## Granulated superphosphate fertilizers — Specification

PUBLIC REVIEW DRAFT



Reference number  
DUS ARS 1482: 2020

**Compliance with this standard does not, of itself confer immunity from legal obligations**

**A Uganda Standard does not purport to include all necessary provisions of a contract. Users are responsible for its correct application**

PUBLIC REVIEW DRAFT

© UNBS 2021

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilm, without prior written permission from UNBS.

Requests for permission to reproduce this document should be addressed to

The Executive Director  
Uganda National Bureau of Standards  
P.O. Box 6329  
Kampala  
Uganda  
Tel: +256 417 333250/1/2  
Fax: +256 41 286 123  
E-mail: [info@unbs.go.ug](mailto:info@unbs.go.ug)  
Web: [www.unbs.go.ug](http://www.unbs.go.ug)

## National foreword

Uganda National Bureau of Standards (UNBS) is a parastatal under the Ministry of Trade, Industry and Cooperatives established under Cap 327, of the Laws of Uganda, as amended. UNBS is mandated to co-ordinate the elaboration of standards and is

- (a) a member of International Organisation for Standardisation (ISO);
- (b) a contact point for the WHO/FAO Codex Alimentarius Commission on Food Standards; and
- (c) the National Enquiry Point on TBT Agreement of the World Trade Organisation (WTO).

The work of preparing Uganda Standards is carried out through Technical Committees. A Technical Committee is established to deliberate on standards in a given field or area and consists of representatives of consumers, traders, academicians, manufacturers, government and other stakeholders.

Draft Uganda Standards adopted by the Technical Committee are widely circulated to stakeholders and the general public for comments. The committee reviews the comments before recommending the draft standards for approval and declaration as Uganda Standards by the National Standards Council.

This Draft Uganda Standard, DUS ARS 1482:2020, *Granulated superphosphate fertilizers — Specification*, is identical with and is being reproduced from an African Standard, ARS 1482:2020, *Granulated superphosphate fertilizers — Specification*, and is proposed for adoption as a Uganda Standard.

The committee responsible for this document is Technical Committee UNBS/TC 2, *Food and agriculture*, Subcommittee SC 20, *Agrochemicals and veterinary drugs*.

Wherever the words, "African Standard" appear, they should be replaced by "Uganda Standard."

---

---

**Granulated superphosphate fertilizers — Specification**

PUBLIC REVIEW DRAFT



Table of contents

1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Requirements .....	2
4.1	Description .....	2
4.2	General requirements .....	2
4.3	Physical.....	2
4.4	Heavy metal contaminants .....	2
5	Sampling.....	3
6	Tests.....	<b>Error! Bookmark not defined.</b>
6.1	Methods of test .....	<b>Error! Bookmark not defined.</b>
6.2	Inspection.....	<b>Error! Bookmark not defined.</b>
7	Compliance.....	3
8	Packaging and labelling .....	3
8.1	Packaging .....	3
8.2	Labelling.....	3
9	Certificate of analysis .....	4
10	Material safety .....	4
	Annex A (normative) Determination of free phosphoric acid .....	5
	Bibliography .....	7

## Foreword

The African Organization for Standardization (ARSO) is an African intergovernmental organization established by the United Nations Economic Commission for Africa (UNECA) and the Organization of African Unity (AU) in 1977. One of the fundamental mandates of ARSO is to develop and harmonize African Standards (ARS) for the purpose of enhancing Africa's internal trading capacity, increase Africa's product and service competitiveness globally and uplift the welfare of African communities. The work of preparing African Standards is normally carried out through ARSO technical committees. Each Member State interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, Regional Economic Communities (RECs), governmental and non-governmental organizations, in liaison with ARSO, also take part in the work.

ARSO Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare ARSO Standards. Draft ARSO Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an ARSO Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ARSO shall not be held responsible for identifying any or all such patent rights.

This African Standard was prepared by the ARSO Technical Harmonization Committee Number 5 on *Chemistry and Chemical Engineering* (ARSO/THC 05).

© African Organisation for Standardisation 2020 — All rights reserved\*

ARSO Central Secretariat  
International House 3rd Floor  
P. O. Box 57363 — 00200 City Square  
NAIROBI, KENYA

Tel. +254-20-2224561, +254-20-3311641, +254-20-3311608

E-mail: [arso@arso-oran.org](mailto:arso@arso-oran.org)

Web: [www.arso-oran.org](http://www.arso-oran.org)

---

\* © 2020 ARSO — All rights of exploitation reserved worldwide for African Member States' NSBs.

**Copyright notice**

This ARSO document is copyright-protected by ARSO. While the reproduction of this document by participants in the ARSO standards development process is permitted without prior permission from ARSO, neither this document nor any extract from it may be reproduced, stored or transmitted in any form for any other purpose without prior written permission from ARSO.

Requests for permission to reproduce this document for the purpose of selling it should be addressed as shown below or to ARSO's member body in the country of the requester:

© African Organisation for Standardisation 2020 — All rights reserved

ARSO Central Secretariat  
International House 3rd Floor  
P.O. Box 57363 — 00200 City Square  
NAIROBI, KENYA

Tel: +254-20-2224561, +254-20-3311641, +254-20-3311608

E-mail: [arso@arso-oran.org](mailto:arso@arso-oran.org)  
Web: [www.arso-oran.org](http://www.arso-oran.org)

Reproduction for sales purposes may be subject to royalty payments or a licensing agreement. Violators may be prosecuted.

## Introduction

Mineral fertilizers are materials, either natural or manufactured, containing nutrients essential to normal growth and development of plants. Various studies, including those conducted by FAO, have established beyond doubt the existence of a close relationship between fertilizer consumption level and agricultural productivity. Crop yield levels are generally higher in those countries where fertilizer consumption levels are also high. Amongst the various agricultural inputs, fertilizers, perhaps next only to water, contribute the maximum to increasing agricultural production. It has been estimated that about 50 percent of the increase in agricultural production witnessed during the last decade in developing countries is attributable to fertilizer use.

Most developing countries have assigned special priority to fertilizers in their efforts to modernize their agriculture. It has also been increasingly realized that it is relatively cheaper and more in a country's long-term interest to import fertilizer than food-grains. Many developing countries, within the limitations imposed by availability of raw materials, financial resources, technical manpower, etc, are also making serious efforts to set up fertilizer plants so as to meet part or all of their fertilizer requirements. This phenomenon has resulted in substantial growth in fertilizer consumption.

Phosphorus is an important constituent of the earth's crust, but has been concentrated over geological time in deposits of phosphate rock (formed mainly from the remains of aquatic organisms), and is present in most natural and cultivated soils in insufficient quantity for full crop growth. The sources from which phosphorus is obtained for use in fertilizers are: (i) phosphate rock deposits, by far the most important source, and (ii) basic slag, a by-product of the steel industry.

Plants take phosphorus from the soil solution in the form of phosphate ions ( $\text{HPO}_4^-$  and  $\text{H}_2\text{PO}_4^-$ ), so that for fertilizer phosphorus to be available it must be released in ionic form to the soil solution. The phosphorus in fertilizers occurs in various chemical and physical forms whose availability varies very much.



PUBLIC REVIEW DRAFT

## Granulated superphosphate fertilizers — Specification

### 1 Scope

This African Standard specifies requirements, sampling method and test methods for granulated superphosphate fertilizers.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

AOAC 969.02, *Phosphorus (total) in fertilizers — Alkalimetric quinolinium molybdophosphate method*

AOAC 993.31, *Phosphorus (available) in fertilizers — Direct extraction method*

AOAC 2006.03, *Arsenic, cadmium, cobalt, chromium, lead, molybdenum, nickel, and selenium in fertilizers — Microwave digestion and inductively coupled plasma-optical emission spectrometry*

EN 12048, *Solid fertilizers and liming materials — Determination of moisture content — Gravimetric method by drying at 105±2 °C*

ISO 5316, *Fertilizers — Extraction of water-soluble phosphates*

ISO 7409, *Fertilizers — Marking — Presentation and declarations*

ISO 8157, *Fertilizers and soil conditioners — Vocabulary*

ISO 8189, *Solid fertilizers — Determination of moisture content — Gravimetric method by drying under reduced pressure*

ISO 8397, *Solid fertilizers and soil conditioners — Test sieving*

ISO 14820-1, *Fertilizers and liming materials — Sampling and sample preparation — Part 1: Sampling*

ISO 14820-2, *Fertilizers and liming materials — Sampling and sample preparation — Part 2: Sample preparation*

ISO 17318, *Fertilizers and soil conditioners — Determination of arsenic, cadmium, chromium, lead and mercury contents*

### 3 Terms and definitions

For the purpose of this standard the terms and definitions in ISO 8157 and the following apply.

#### 3.1

##### **superphosphate**

The product obtained by treating phosphate rock with sulphuric acid. It is also known as single superphosphate.

#### 3.2

##### **concentrated superphosphate**

The product obtained by treating phosphate rock with phosphoric acid or phosphoric acid and sulphuric acid mixture. It is also called 'enriched superphosphate' or 'triple superphosphate'.

#### 3.3

##### **available phosphorus**

the fraction of phosphorus available to plants. This is the sum of the water-soluble and citrate-soluble phosphorus.

**3.4**

**total phosphorus**

the sum of available and citrate-insoluble phosphorus

**4 Requirements**

**4.1 General requirements**

The fertilizer shall be homogenous, free-flowing in the form of granules, pellets, or crystals and free from foreign matter and hard lumps

**4.2 Physical requirements**

When test sieved in accordance with ISO 8397, the particle size for granular fertilizer shall be such that not less than 90 %, by mass of the fertilizer shall be of particles in the size range of 1 mm to 4 mm. Not more than 5% shall be below 1 mm.

**4.3 Chemical requirements**

Superphosphate fertilizer shall comply with the following compositional limits in Table 1

**Table 1 —Chemical requirements for superphosphates**

Sl. No.	Characteristic	Requirement, %, by mass			Method of test
		Grade 1 Single Superphosphate	Grade 2 Single Superphosphate	Triple/ Concentrated Superphosphate	
(i)	Water-soluble phosphate (as P <sub>2</sub> O <sub>5</sub> ), min	18.0	14.0	40	ISO 5316
(ii)	Available phosphate (as P <sub>2</sub> O <sub>5</sub> ), min	21.5	16.5	46.0	AOAC 969.02 / AOAC 993.31
(iii)	Free phosphoric acid (as P <sub>2</sub> O <sub>5</sub> ), Max	4.0	4.0	4.0	Annex A
(iv)	Moisture, max	5.0	5.0	4.0	EN 12048/ ISO 8189
(v)	Sulfur ( as S), min	11	11	11	ISO 15178/ EN 16032

**4.4 Heavy metal contaminants**

The heavy metal contaminants, if present, shall not exceed the limits stipulated in Table 2.

**Table 2 — Heavy metal contaminants limits**

Sl. No.	Parameter	Limits, mg/kg	Test method
i)	Arsenic, As, max.	40	AOAC 2006.03/ ISO 17318
ii)	Cadmium, Cd, max.	45	AOAC 2006.03/ ISO 17318
iii)	Mercury, Hg, max.	0.1	AOAC 2006.03/ ISO 17318
iv)	Selenium, Se, max.	1.0	AOAC 2006.03
v)	Lead, Pb, max.	30.0	AOAC 2006.03/ ISO 17318
vi)	Nickel	120	AOAC 2006.03/ ISO 17318
vii)	Chromium, Cr Max.	500	AOAC 2006.03/ ISO 17318

## 5 Sampling

Sampling and sample preparation for inspection and testing shall be carried out in accordance with ISO 14820 parts 1 and 2.

## 6 Compliance

The lot shall be deemed to comply with the standard if after inspection and testing it complies with the requirements of this standard.

## 7 Packaging and labelling

### 7.1 Packaging

The fertiliser shall be packed in clean, non-defective and strong packages. The material of which the package is made shall be such as to protect the contents from moisture and also not lead to easy rupture during handling, transportation and storage.

### 7.2 Labelling

**7.2.1** Each package of the fertiliser shall be legibly and indelibly marked in accordance with ISO 7409, and with the following particulars:

- a) Name of the product as superphosphate fertilizer;
- b) type;
- c) grade
- d) name and physical address of the manufacturer/packer;
- e) minimum water-soluble phosphates stated as P<sub>2</sub>O<sub>5</sub> content of the material;
- f) net weight of the material in the package;
- g) content of fluorine and sulfur;
- h) manufacture and expiry or best before date;
- i) lot or batch number;
- j) handling, use and storage instructions; and
- k) warning statement similar or closely similar in meaning to the statements in 1, 2 and 3 preceded by the words: "WARNING":
  - 1) do not swallow. The dust from this product may act as an irritant, avoid inhalation or contact with eyes and skin;
  - 2) this product may contain fluorine as an impurity; do not feed this product to livestock or use in feedstock mixtures. If top dressing pastures do not graze for 3 weeks or until rain or irrigation is received; and
  - 3) this product may contain heavy metal as impurities; its repeated use may therefore lead to accumulation of the same in the soil. Depending on soil characteristics, irrigation water quality, plant species and variety, crop uptake of heavy metals may exceed the maximum limits allowed in local food standards; in pasture, the offal from grazing animal may also exceed these limits; therefore its application in accordance to local regulation is advised.

# ARS 1482:2020

## 7.2.2 Bulk containers

Where the product is distributed in bulk, the marking information shall accompany the delivery note to the purchaser.

## 8 Certificate of analysis

A certificate of analysis stating the minimum percentage levels of plant nutrient elements shall accompany every lot or consignment of the fertilizer.

## 9 Material safety

Each consignment must be accompanied by a Material Safety Data Sheet (MSDS) and a certificate of analysis (COA).

PUBLIC REVIEW DRAFT

## Annex A (normative)

### Determination of free phosphoric acid

#### A.1 Purpose

This method determines the percent of phosphoric acid ( $P_2O_5$ ) in commercial fertilizers by colorimetry.

#### A.2 Reagents and apparatus

- 1) An Atomic Absorption Spectrophotometer or a suitable colorimeter.
- 2) Nitric Acid ( $HNO_3$ ), 1.42 specific gravity.
- 3) Hydrochloric Acid ( $HCl$ ), 1.19 specific gravity.
- 4) Potassium Phosphate, Monobasic ( $KH_2PO_4$ ), Primary Standard Grade, dried at 105-110 °C for several hours prior to use.
- 5) Ammonium Molybdate ( $(NH_4)_6MO_7O_{24} \cdot 4H_2O$ ), Reagent Grade.
- 6) p-Methylaminophenol Sulfate, Reagent Grade.
- 7) Sodium Acid Sulfite ( $NaHSO_3$ ), Reagent Grade.
- 8) Cuvets, optical glass, matched, 10mm path length.

NOTE If available, an optical glass, automatic flow-through cuvet may be used.

#### A.3 Preparation of standard solutions

**Phosphate Stock Solution:** Weigh 0.4394 g of dried, primary standard  $KH_2PO_4$  into a 500-mL volumetric flask. Add 30 ml of  $HNO_3$  and 5 ml of  $HCl$  and boil until brown fumes have been expelled. Dilute to volume with distilled water.

**5 ppm Working Standard:** Pipette a 5-ml aliquot of the phosphate stock solution into a 200-ml volumetric flask and dilute to volume with distilled water. This solution is equivalent to 57.2% phosphoric acid.

**4 ppm Working Standard:** Pipette a 4-mL aliquot of the phosphate stock solution into a 200-mL volumetric flask and dilute to volume with distilled water. This solution is equivalent to 45.8% phosphoric acid.

**Blank Working Solution:** Boil a mixture consisting of 5 ml of  $HCl$  and 30 ml of  $HNO_3$  until brown fumes have been expelled, transfer to a 500-ml volumetric flask and dilute to volume with distilled water. Transfer a 4-ml aliquot to a 200-ml volumetric flask and dilute to volume with distilled water.

#### A.4 Preparation of colour development solutions

**Acid Molybdate Solution:** Pour, with stirring, a solution containing 16.62 g of ammonium molybdate in 156.9 ml of distilled water into a solution of 318.4 ml of  $HCl$  to which 29.6 ml of distilled water has been added.

**Reducing Solution:** Dissolve 1.0 g of p-methylaminophenol sulfate and 3.0 g of sodium acid sulfite in 100 ml distilled water.

# ARS 1482:2020

## A.5 Procedure

Weigh, to the nearest 0.1 mg,  $0.50 \pm 0.02$  g of sample into a 500-ml volumetric flask, adding 30 ml of  $\text{HNO}_3$  and 5 ml of  $\text{HCl}$ . Boil until brown fumes have been expelled, cool to room temperature and dilute to volume with distilled water. Transfer a 2-ml aliquot to a 100-ml volumetric flask and dilute to volume with distilled water. From this second dilution, transfer a 10-ml aliquot to a 20-ml scintillation vial and add a 2-ml aliquot of acid molybdate solution and a 2-ml aliquot of reducing solution. Allow to stand 1 hour for colour development. At the same time that the sample vial is prepared, a blank vial, a 4 ppm phosphorus vial and a 5 ppm phosphorus vial must also be prepared and allowed to develop colour along with the sample. The blank, 4 ppm phosphorus and 5 ppm phosphorus are prepared by the same procedure used for preparation of the sample, using 10-ml aliquots of the blank working solution, the 4 ppm phosphorus working standard and the 5 ppm phosphorus working standard.

**NOTE** When making determinations on fertilizers with low percentages of phosphoric acid, it is necessary to adjust the sample weight so that the sample working dilution contains between 4 ppm and 5 ppm phosphorus.

Calibrate the instrument using the blank solution, the 4 ppm phosphorus solution and the 5 ppm phosphorus solution, then determine the concentration of the sample solution.

**NOTE** When using an Atomic Absorption Spectrophotometer for colour measurements, the cuvet holder is placed over the burner in the light path and a Cu hollow cathode lamp is used with the instrument grating set at a wavelength of 640 nm.

## A.6 Calculations

The method of calculating the % phosphoric acid will vary according to the make and model of instrument used. Report the results to the nearest 0.1%  $\text{P}_2\text{O}_5$  as follows:

% Phosphoric Acid ( $\text{P}_2\text{O}_5$ )

## Bibliography

Working Group to identify and acknowledge useful literature used in the preparation of this standard.

KS 46:2011, *Granulated superphosphate fertilizer — Specification*

PUBLIC REVIEW DRAFT



PUBLIC REVIEW DRAFT

PUBLIC REVIEW DRAFT